

PETROLEUM GEOLOGY OF THE RUSSIAN FAR-EAST

CONTENTS

PART I:

INTRODUCTION TO THE RUSSIAN FAR EAST AND ITS STRUCTURAL DEVELOPMENT.

Chapter 1. The Russian Far East: Introduction and Infrastructure.

- 1.1 Description of the Report
- 1.2 Brief Description of the Russian Far East, its Geography and Infrastructure
- 1.3 Brief Historical Review of the Hydrocarbon Industry in the Russian Far East

Chapter 2. Tectonic Evolution of the Russian Far East since the Palaeozoic

I.2.1 Precambrian and Palaeozoic Development

I.2.2 Mesozoic Development

I.2.2.1 The Kolyma-Omolon Superterrane and Verkhoyan Fold Belt

I.2.2.2 The Mongol-Okhotsk Belt

I.2.2.3 The South Anyui Basin and Suture Zone

I.2.2.4 Development of the Cretaceous “Beringian margin”

- *The Sikhote-Alin Sector (Early Cretaceous Phase)*

- *Mid- to Late Cretaceous Development*

- *The Okhotsk Sea Microplate and Its Emplacement*

- *Latest Cretaceous: The Omgon-Palana Collisional Belt and West Kamchatka; Contrasting Models*

I.2.3 Cenozoic Development

I.2.3.1 Kamchatka-Koryak Region

- *Achaivayam-Ozernovsky-Valaginsk Island Arc*

- *Accretion of the Achaivayam-Ozernovsky-Valaginsk Arc Terranes*

- *The Komandorsky Basin, Shirshov Ridge and Kronotsky Arc*

I.2.3.2 The Sakhalin-Hokkaido Region

I.2.3.3 North Okhtosk Rifting and Basin Development

I.2.3.4 The South Okhotsk Back-Arc Basin

I.2.3.5 The Tatar Strait Basin

I.2.3.6 The Northern Continental Region and Arctic Basin

I.2.3.7 Other Late Tertiary Events and Setting the Modern Stage.

PART II: PETROLEUM GEOLOGY AND HYDROCARBON PROSPECTIVITY OF THE RUSSIAN FAR EAST

Chapter 1. The Mesozoic Basins of Pre-Amur'e and Momo-Zyryan.

II.1.1 The Basins of Pre-Amur'e

II.1.1.1 Amur-Bureya (= Amur-Zeya or Zeya-Bureya) Basin

- *Basement*
- *Ekaterinoslavka Suite and equivalents*
- *Itikutsk Suite and equivalents*
- *Poyarkovo Suite*
- *Zavitinsk Suite*
- *Chagoyan Suite*
- *Tertiary and Quaternary deposits*

II.1.1.2 Upper Bureya Basin (= Bureya Basin)

- *Dublikansk and Soloniisk Suites (Urgalsk Group)*
- *Chagdamynsk and Chemchukinsk Suites*
- *Late Aptian and Younger Development*

II.1.1.3 Partizan (Suchan) Basin

II.1.1.4 Razdol'noe (Suifen) Basin

II.1.1.5 Middle Amur Basin (including Alchan Basin)

- *Middle Amur Basin*
- *Alchan Basin*

II.1.1.6 Upper Zeya (Uda) Basin

II.1.1.7 Hydrocarbon Potential of the Pre-Amur'e Basins

- *Amur-Bureya Basin*
- *Upper Bureya Basin*

II.1.2 The Momo-Zyryan Basin

II.1.2.1 Tectonic History and Structure of the Momo-Zyryan Basin

II.1.2.2 Stratigraphy, Lithology and Depositional Environments

II.1.2.3 Hydrocarbon Potential of the Momo and Zyryan Basins

- *Source rocks*
- *Reservoirs and seals*
- *Trap types*
- *Hydrocarbon type*

Chapter 2. Basins of the Bering Sea Shelf and Adjacent Land Areas.

II.2.1 Navarin Basin

II.2.1.1 Tectonic Development

II.2.1.2 Stratigraphy, Lithology and Depositional Environments

II.2.1.3 Hydrocarbon potential

II.2.2 Anadyr Basin

II.2.2.1 Tectonic Development

II.2.2.2 Stratigraphy, Lithology and Depositional Environments

- *Late Cretaceous*

- *Palaeogene*

- *Neogene*

- *Pliocene-Quaternary*

II.2.2.3 Hydrocarbon potential

- *Source rocks*

- *Reservoirs and seals*

- *Trap types*

- *Hydrocarbon type*

II.2.3 Khatyrka Basin

II.2.3.1 Tectonic Development

II.2.3.2 Stratigraphy, Lithology and Depositional Environments

- *Palaeocene to Middle Eocene*

- *Late Eocene to Oligocene*

- *Early Miocene*

- *Middle Miocene*

- *Middle Miocene to Pliocene*

- *Pliocene to Quaternary*

II.2.3.3 Hydrocarbon potential

- *Source rocks*

- *Reservoirs and seals*

- *Trap types*

- *Hydrocarbon type*

II.2.4 Penzhina Basin

II.2.4.1 Tectonic Development

II.2.4.2 Stratigraphy, Lithology and Depositional Environments

II.2.4.3 Hydrocarbon potential

- *Source rocks*

- *Reservoirs and seals*

- *Trap types*

- II.2.5 Pustorets (Kinkil') Basin (including the Parapol Basin)
 - II.2.5.1 Tectonic Development
 - II.2.5.2 Stratigraphy, Lithology and Depositional Environments
 - II.2.5.3 Hydrocarbon potential
 - *Source rocks*
 - *Reservoirs and seals*
 - *Trap types*
 - *Hydrocarbon type*
- II.2.6 Komandorsky Basin
 - II.2.6.1 Tectonic Development
 - II.2.6.2 Stratigraphy, Lithology and Depositional Environments
 - II.2.6.3 Hydrocarbon potential
- II.2.7 Il'pin-Karagin and Olyutor Basins
 - II.2.7.1 Tectonic Development
 - II.2.7.2 Stratigraphy, Lithology and Depositional Environments
 - II.2.7.3 Hydrocarbon potential
 - *Source rocks*
 - *Reservoirs and seals*
 - *Trap types*
 - *Hydrocarbon type*
- II.2.8 East Kamchatka Basin
 - II.2.8.1 Tectonic Development
 - II.2.8.2 Stratigraphy, Lithology and Depositional Environments
 - II.2.8.3 Hydrocarbon potential
 - *Source rocks*
 - *Reservoirs and seals*
 - *Trap types*
 - *Hydrocarbon type*
- II.2.9 Central Kamchatka Basin
 - II.2.9.1 Tectonic Development
 - II.2.9.2 Stratigraphy, Lithology and Depositional Environments
 - II.2.9.3 Hydrocarbon potential
 - *Source rocks*
 - *Reservoirs and seals*
 - *Trap types*
 - *Hydrocarbon type*

Chapter 3. The North Okhotsk-West Kamchatka Basin Group.

- II.3.1 Tectonic Development
- II.3.2 Stratigraphy, Lithology and Depositional Environments
 - II.3.2.1 Palaeocene to Oligocene stage
 - II.3.2.2 Late Oligocene to Middle Miocene stage
 - II.3.2.3 Middle to Late Miocene stage
 - II.3.2.4 Pliocene to Quaternary stage
- II.3.3 Hydrocarbon potential
 - II.3.3.1 Source rocks
 - II.3.3.2 Reservoirs and seals
 - II.3.3.3 Trap types
 - II.3.3.4 Hydrocarbon type

Chapter 4. Sakhalin Basin Group.

- II.4.1 Tectonic Development
- II.4.2 Stratigraphy, Lithology and Depositional Environments
 - 11.4.2.1 Palaeogene to Early Middle Miocene stage
 - 11.4.2.2 Middle Miocene to Quaternary stage
- II.4.3 Hydrocarbon potential
 - II.4.3.1 Source rocks
 - II.4.3.2 Reservoirs and seals
 - II.4.3.3 Trap types
 - II.4.3.4 Hydrocarbon type

Chapter 5. Isikari-West Sakhalin Basin Group.

- II.5.1 Tectonic Development
- II.5.2 Stratigraphy, Lithology and Depositional Environments
 - II.5.2.1 Palaeocene to Early Miocene
 - II.5.2.2 Middle Miocene to Pliocene
 - II.5.2.3 Pliocene to Quaternary
- II.5.3 Hydrocarbon potential
 - II.5.3.1 Source rocks
 - II.5.3.2 Reservoirs and seals
 - II.5.3.3 Trap types
 - II.5.3.4 Hydrocarbon type

Chapter 6. South Okhotsk Basin.

- II.6.1 Tectonic Development
- II.6.2 Stratigraphy, Lithology and Depositional Environments
 - II.6.2.1 The Central Kurils Trough
 - II 6.2.2 The Golygin Basin
 - II.6.2.3 The South Okhotsk Basin
- II.6.3 Hydrocarbon Potential
 - II.6.3.1 Source rocks
 - II.6.3.2 Reservoirs and seals
 - II.6.3.3 Trap types
 - II 6.3.4 Hydrocarbon types

REFERENCES

APPENDIX: FIELD DATABASE (Extract from Blackburn Geoconsulting's FSU Oil & Gas Field Database

LIST OF FIGURES

- Figure 1: Composite legend for stratigraphic sections
- Figure I.2.1: Cartoon palaeotectonic reconstruction for Late Carboniferous-Early Permian
- Figure I.2.2: Cartoon palaeotectonic reconstruction for Late Jurassic-Early Cretaceous
- Figure I.2.3: Cartoon palaeotectonic reconstruction for Mid Cretaceous (Late Albian-Cenomanian)
- Figure I.2.4: Cartoon palaeotectonic reconstruction for Late Cretaceous-Early Palaeogene
- Figure I.2.5: Cartoon palaeotectonic reconstruction for Middle Miocene
- Figure II.1.1: Sedimentary basins of Southeast Russia
- Figure II.1.2: Schematic cross section of the Amur-Bureya Basin
- Figure II.1.3: Stratigraphy and depositional environments of the main Late Mesozoic-Cenozoic sedimentary basins of Southeast Russia
- Figure II.1.4: Schematic cross-sections of (A) the Upper Bureya Basin and (B) the Upper Zeya (Uda) Basin
- Figure II.1.5: Generalised structure map of the Momo-Zyryan Basin
- Figure II.1.6: Generalised stratigraphy of the Momo-Zyryan Basin sedimentary fill
- Figure II.2.1: Navarin Basin: Generalised structure map (a), stratigraphy of ARCO COST-1 well (b), and cross-section of the South Basin (c)
- Figure II.2.2: Chronostratigraphic chart for the Navarin Basin taken from North-South section through exploratory wells
- Figure II.2.3: Schematic cross-sections of the Anadyr Basin based on well data (sections I-I' and II-II') and seismo-stratigraphy (section III-III')
- Figure II.2.4: Anadyr Basin: comparative stratigraphic sections of the south, north and offshore areas
- Figure II.2.5: Cross-section of the Khatyrka Basin along the coast of the Bering Sea
- Figure II.2.6: Attempted correlation of Palaeocene-Lower Pleistocene deposits in the Khatyrka Basin (based on Agapitov & Mitronova, 1998 & 1999)
- Figure II.2.7: General location map of the Penzhina, Pustorets, Il'pin-Karagin and Olyutor Basins showing major tectonic elements
- Figure II.2.8: Schematic cross-section of the northern part of the Penzhina Basin

- Figure II.2.9: Schematic stratigraphic sections across the Pustorets Basin
- Figure II.2.10: Komandorsky Basin: location and generalised structure
- Figure II.2.11: Schematic stratigraphy of the Litken, Korfov and Vyven sub-basins of the Il'pin-Karagin Basin
- Figure II.2.12: Central and East Kamchatka Basins: major structural elements and position of the basins within the Kamchatka Peninsula
- Figure II.2.13: Schematic stratigraphic relationships of the East Kamchatka Basin showing tectonic controls over formation development
- Figure II.2.14: Schematic West-East cross-section of the Kumroch Ridge, East Kamchatka
- Figure II.2.15: Schematic litho-stratigraphic correlation of the Central Kamchatka Basin
- Figure II.3.1: General location map of the North Okhotsk-West Kamchatka group of basins
- Figure II.3.2: Seismic section showing graben structure of the Motyklei rift basin, Magadan Basin
- Figure II.3.3: Conjectural stratigraphic summary of the northern basins in the Okhotsk-West Kamchatka Group based on seismic data, analogous onshore outcrop data and the M-1 parametric well
- Figure II.3.4: Generalised stratigraphic summary of the Cenozoic stratigraphy of the West Kamchatka Basin based on well data, outcrop data and seismic data
- Figure II.3.5: Interpreted West-East seismic section across the southern TINRO Basin towards its junction with the West Kamchatka group of basins
- Figure II.3.6: Cross-section of the Kamchatka Peninsula from the Kolpakov Basin in the west to the Shipunsky Peninsula in the southeast showing accretion of island arc terranes
- Figure II.3.7: Interpreted seismic sections showing the structure and seismic-stratigraphy of the Northwest Okhotsk Sea area
- Figure II.3.8: Schematic South-North cross-section and generalised structural map of the Kolpakov Basin
- Figure II.4.1: Generalised East-West cross-section from the Sea of Okhotsk across Sakhalin Island and the Tatar Strait to Sikhote-Alin
- Figure II.4.2: Seismic section (a) and interpreted section (b) across the Langryisk Basin

- Figure II.4.3: Interpreted seismic profiles across the shelf of Northeast Sakhalin to illustrate sedimentary structure and different trap types: (A) anticline; (B) serpentinite massif thrust over Daekhuri oil source rocks; and (C) sandstone fan in dominantly clay facies
- Figure II.4.4: Upper Miocene-Pliocene (Nutovo) reservoir sandstones on Sakhalin Island. Lateral equivalents of those forming the Pil'tun-Astokhsk and Odoptu-more fields
- Figure II.5.1: Ishikari-West Sakhalin Basins: generalised location map showing major structural elements
- Figure II.5.2: Schematic cross-sections of the Ishikari-West Sakhalin Basin
- Figure II.5.3: Generalised correlation of stratigraphy and tectonic events in the Ishikari-West Sakhalin Basin, based on seismic, outcrop sections and boreholes
- Figure II.6.1: South Okhotsk group of basins, and Kurils Island Arc: location map showing major structural features
- Figure II.6.2: Seismic section across the Central Kurils Trough
- Figure II.6.3 Stratigraphy of the onshore part of the Golygin Basin
- Figure II.6.4: Generalised seismic-stratigraphy of the north and south margins of the South Okhotsk Basin

TABLE 1: Sedimentary basins of the Russian Far East: main components of known and potential hydrocarbon systems.

- ENCLOSURE 1: NORTHEAST RUSSIA – LOCATION AND INFRASTRUCTURE MAP
- ENCLOSURE 2: NORTHEAST RUSSIA – BASEMENT MAP
- ENCLOSURE 3: ANADYR AND KHATYRKA BASINS – Generalised location map showing major structural features
- ENCLOSURE 4: SAKHALIN-OKHOTSK SEDIMENTARY BASIN - Generalised location map
- ENCLOSURE 5: SAKHALIN-OKHOTSK BASIN – Stratigraphic sections and attempted correlation